40

www.beadalon.com







(Beadalon)



Beadalon



в

D





Design directly _____ on the Needle!


Use the Elastic Cord Beading Needle with 0.5 mm and 0.8mm Elasticity, and all sizes of Elonga Cord.

Elonga™

Elonga stretch material is made up of several individual stretchy strands bonded together for superior elastic properties. The multiple-strand floss construction of Elonga gives a soft, silky drape and is ideal for lightweight beads. Great to use with the Elastic Cord Needle.

Actual

	Actual					
	Size	Diameter	Length	Color	Part #	
A		.012 in (0.30 mm)	16.4 ft (5 m)	White	131U-001	
A		.030 in (0.70 mm)	16.4 ft (5 m)	White	133U-001	
A		.040 in (1.00 mm)	16.4 ft (5 m)	White	135U-001	
A		.012 in (0.30 mm)	82 ft (25 m)	White	131U-002	
A		.030 in (0.70 mm)	82 ft (25 m)	White	133U-002	
A		.040 in (1.00 mm)	82 ft (25 m)	White	135U-002	
B		.030 in (0.70 mm)	16.4 ft (5 m)/color	Black, Brown, Gray, Clear	133X-100	
C		.030 in (0.70 mm)	16.4 ft (5 m)/color	Lilac, Purple, Red, Pink	133X-101	
D		.030 in (0.70 mm)	16.4 ft (5 m)/color	Green, Lime, Med. Blue, Blue	133X-102	
E		.012 in (0.30 mm)	328 ft (100 m)	White	131U-006	
F		.030 in (0.70 mm)	328 ft (100 m)	White	133U-006	
G		.040 in (1.00 mm)	328 ft (100 m)	White	135U-006	
H		.030 in (0.70 mm)	82 ft (25 m)	Black	133B-002	NEW



Use Elonga for jewelry to create a dual-purpose design, such as a beaded necklace that can also be worn as a beaded hair band.

Elastic Cord Needle **EXCLUSIVEI**

Use the Stainless Steel Elastic Cord Needle to plan out your beaded design, catch 0.50 mm or 0.80 mm Elasticity or 0.30 mm, 0.70 mm, 1.0 mm Elonga with the threader hook, then easily transfer your beads on to the cord. The looped bottom of the Needle will hold your beads in place as you are stringing them. Can be used with other stringing materials as well like B-Lon Cord, Supplemax, WildFire, and some Ribbon. Fits Beads with 1mm (0.40 in) hole or larger.

Needle Length	Quantity Per Pack	Part #
8 in (20.3 cm)	1	701S-100
10.75 in (27.3 cm)	1	701S-101

onto the needle.



Hook the end of the Needle onto Elastic Cord or other cording. © Beadalon 2025 Push beads from Needle onto Stringing Material, then finish design.

Elasticity® **EXCLUSIVEI**

This soft, elastic bead cord stretches like a rubber band. It's ideal for stretch bracelets, power bracelets, and hair bands. Designs made with Elasticity drape elegantly and will retain their stretch. Available in 4 diameters and 5 colors.

					Actual
	Part #	Color	Length	Diameter	Size
	JE0.5T-0005M	Clear	16.4 ft (5 m)	.020 in (0.50 mm)	
	JE0.8T-0005M	Clear	16.4 ft (5 m)	.032 in (0.80 mm)	
	JE1.0T-0005M	Clear	16.4 ft (5 m)	.039 in (1.00 mm)	
NEW	JE1.5T-0004M	Clear	13 ft (4 m)	.060 in (1.50 mm)	
	JE0.5G-0005M	Satin Gold	16.4 ft (5 m)	.020 in (0.50 mm)	
	JE0.8G-0005M	Satin Gold	16.4 ft (5 m)	.032 in (0.80 mm)	
	JE1.0G-0005M	Satin Gold	16.4 ft (5 m)	.039 in (1.00 mm)	
	JE0.5S-0005M	Satin Silver	16.4 ft (5 m)	.020 in (0.50 mm)	
	JE0.8S-0005M	Satin Silver	16.4 ft (5 m)	.032 in (0.80 mm)	
	JE1.0S-0005M	Satin Silver	16.4 ft (5 m)	.039 in (1.00 mm)	
	JE0.5R-0005M	Satin Rose Gold	16.4 ft (5 m)	.020 in (0.50 mm)	
	JE0.8R-0005M	Satin Rose Gold	16.4 ft (5 m)	.032 in (0.80 mm)	
	JE1.0R-0005M	Satin Rose Gold	16.4 ft (5 m)	.039 in (1.00 mm)	
	JE0.5T-0025M	Clear	82 ft (25 m)	.020 in (0.50 mm)	
	JE0.8T-0025M	Clear	82 ft (25 m)	.032 in (0.80 mm)	
	JE1.0T-0025M	Clear	82 ft (25 m)	.039 in (1.00 mm)	
	JE0.5B-0025M	Black	82 ft (25 m)	.020 in (0.50 mm)	
	JE0.8B-0025M	Black	82 ft (25 m)	.032 in (0.80 mm)	
	JE1.0B-0025M	Black	82 ft (25 m)	.039 in (1.00 mm)	
	JE0.5G-0025M	Satin Gold	82 ft (25 m)	.020 in (0.50 mm)	
	JE0.8G-0025M	Satin Gold	82 ft (25 m)	.032 in (0.80 mm)	
	JE1.0G-0025M	Satin Gold	82 ft (25 m)	.039 in (1.00 mm)	
	JE0.5S-0025M	Satin Silver	82 ft (25 m)	.020 in (0.50 mm)	
	JE0.8S-0025M	Satin Silver	82 ft (25 m)	.032 in (0.80 mm)	
	JE1.0S-0025M	Satin Silver	82 ft (25 m)	.039 in (1.00 mm)	
	JE0.5R-0025M	Satin Rose Gold	82 ft (25 m)	.020 in (0.50 mm)	
	JE0.8R-0025M	Satin Rose Gold	82 ft (25 m)	.032 in (0.80 mm)	
	JE1.0R-0025M	Satin Rose Gold	82 ft (25 m)	.039 in (1.00 mm)	
NEW	JE1.5T-0050M	Clear	164 ft (50 m)	.060 in (1.50 mm)	
	JE0.5T-0100M	Clear	328 ft (100 m)	.020 in (0.50 mm)	
	JE0.9T 0100M	Clear	328 ft (100 m)	.032 in (0.80 mm)	
	JE0.81-0100M	Clear		.039 in (1.00 mm)	
			328 ft (100 m)		
	JE0.5B-0100M	Black	328 ft (100 m)	.020 in (0.50 mm)	
	JE0.8B-0100M	Black	328 ft (100 m)	.032 in (0.80 mm)	_
	JE1.0B-0100M	Black	328 ft (100 m)	.039 in (1.00 mm)	
	JE0.5T-0500M	Clear	1640 ft (500 m)	.020 in (0.50 mm)	
	JE0.8T-0500M	Clear	1640 ft (500 m)	.032 in (0.80 mm)	
	JE1.0T-0500M	Clear	1640 ft (500 m)	.039 in (1.00 mm)	



Crimp Tubes for Stretch Cord are longer crimps made specifically to hold slippery stretch cord without knotting (p. 60).



SCAN TO WATCH A VIDEO ON ELASTICITY TIPS & TRICKS

Fabric Covered Elastic

Fabric Covered Elastic stringing material is a super stretchy elastic combined with a woven cotton fabric. Use this material for attaining texture in designs, as well as for beads with large holes.

	Actual Size	Diameter	Length	Color	Part #
A		.024 in (0.60 mm)	32.8 ft (10 m)	Black	135U-060
В		.040 in (1.00 mm)	32.8 ft (10 m)	Black	135U-100
A		.024 in (0.60 mm)	328 ft (100 m)	Black	135U-061
В	_	.040 in (1.00 mm)	328 ft (100 m)	Black	135U-101



- Soft, Elastic Bead Cord Stretches Like a Rubber Band
- Silky Smooth Drape and Feel, this Cord Looks Great Exposed







Use Fabric Covered Elastic for attaining texture in designs, as well as for beads with large holes. 42

www.beadalon.com

В



A. 100% Silk Bead Cord (European)



EUROPEAN SILK CORD COLOR CHART

ACTUAL COLOR	DESCRIPTION	*COLOR CODE	ACTUAL COLOR	DESCRIPTION	*COLOR CODE
0,00,00,00,00,00,00 1,0,0,0,0,0,0,0,0,0,	White	WHITE		Lilac	LILAC
	Lt. Pink	PINLT		Amethyst	AMETH
	Dk. Pink	PINDK		Turquoise	TURQU
	Coral	CORAL		Jade Green	JADEX
9329329292 56555595555	Red	REDXX		Green	GREEN
	Garnet	GARNE	anan a,	Carnelian	CARNE
	Yellow	YELLO		Beige	BEIGE
iiiiiiii	Amber	AMBER		Brown	BROWN
	Blue	BLUEX		Gray	GREYX
	Dk. Blue	BLUDK		Black	BLACK



naturally and look elegant. Refer to the color chart when choosing between the 20 European Silk colors. Actual Thread

Actual	Inread			
Size	Size	Diameter	Length	Part #
	1	.014 in (0.36 mm)	6.5 ft (2 m)	JH01S-*-C
	2	.018 in (0.45 mm)	6.5 ft (2 m)	JH02S-*-C
	3	.020 in (0.50 mm)	6.5 ft (2 m)	JH03S-*-C
	4	.024 in (0.60 mm)	6.5 ft (2 m)	JH04S-*-C
	5	.026 in (0.65 mm)	6.5 ft (2 m)	JH05S-*-C
	6	.030 in (0.70 mm)	6.5 ft (2 m)	JH06S-*-C
	7	.030 in (0.75 mm)	6.5 ft (2 m)	JH07S-*-C
	8	.032 in (0.80 mm)	6.5 ft (2 m)	JH08S-*-C
	10	.035 in (0.90 mm)	6.5 ft (2 m)	JH10S-*-C
_	12	.039 in (0.98 mm)	6.5 ft (2 m)	JH12S-*-C†
_	16	.041 in (1.05 mm)	6.5 ft (2 m)	JH16S-*-C †

Truly nothing is as soft or as smooth as Silk. It's the traditional stringing material used by beaders for centuries. Designs made on 100% Silk Bead Cord drape

*ADD COLOR CODE **† NOT AVAILABLE IN ALL COLORS**

B. Poly Nylon Bead Cord (European)

Poly Nylon, also referred to as Polyamid, is a strong, fray-resistant, knottable stinging material. It's twice as strong and has half the stretch as ordinary nylon. Because of this, Poly Nylon can be knotted very tightly.

Actual	Thread			
Size	Size	Diameter	Length	Part #
	1†	.014 in (0.36 mm)	6.5 ft (2 m)	JH01P-*-C
	2	.018 in (0.45 mm)	6.5 ft (2 m)	JH02P-*-C
	3	.020 in (0.50 mm)	6.5 ft (2 m)	JH03P-*-C
	4	.024 in (0.60 mm)	6.5 ft (2 m)	JH04P-*-C
	6	.030 in (0.70 mm)	6.5 ft (2 m)	JH06P-*-C
	8	.032 in (0.80 mm)	6.5 ft (2 m)	JH08P-*-C
*ADD COLOR CODE				

† SIZE 1 AVAILABLE IN WHITE & BLACK ONLY

C. HP "High Performance" Bead Cord

High Performance Bead Cord will never break in the knot and cannot be torn by hand. HP is available in white only. It's slightly more difficult to cut than other bead cords; we recommend cutting using our sharp Beading Scissors (p. 126).

Actual Size	Thread Size	Diameter	Length	Part #
	2	.018 in (0.45 mm)	6.5 ft (2 m)	JH02H-WHITE-C
	3	.020 in (0.50 mm)	6.5 ft (2 m)	JH03H-WHITE-C
	4	.024 in (0.60 mm)	6.5 ft (2 m)	JH04H-WHITE-C
	6	.030 in (0.70 mm)	6.5 ft (2 m)	JH06H-WHITE-C

Make knotting between beads easier with the Beadalon Knotter Tool (p. 129).

Beadalon 1-866-423-2325

43

Beadalon 100% Silk Bead Cord

Beadalon 100% Silk Bead Cord is so soft, you won't even feel it slip through your fingers. Designs made on 100% Silk Bead Cord drape naturally and look elegant. Beadalon 100% Silk Bead Cord is available in 5 popular colors and in sizes 2, 4, and 6. Each card includes two meters of 100% Silk Bead Cord with needle attached.

A. Beadalon 100% Silk Bead Cord - One Card

Actual Size	Thread Color	Thread Size	Diameter	Length	Part #
	White	2	.018 in (0.45 mm)	6.5 ft (2 m)	102A-100
	Black	2	.018 in (0.45 mm)	6.5 ft (2 m)	102U-100
	Gray	2	.018 in (0.45 mm)	6.5 ft (2 m)	102T-100
	White	4	.024 in (0.60 mm)	6.5 ft (2 m)	104A-100
	Black	4	.024 in (0.60 mm)	6.5 ft (2 m)	104U-100
	Gray	4	.024 in (0.60 mm)	6.5 ft (2 m)	104T-100
	Lt. Pink	4	.024 in (0.60 mm)	6.5 ft (2 m)	104B-100
	White	6	.030 in (0.70 mm)	6.5 ft (2 m)	106A-100
	Black	6	.030 in (0.70 mm)	6.5 ft (2 m)	106U-100
	Gray	6	.030 in (0.70 mm)	6.5 ft (2 m)	106T-100
	Brown	6	.030 in (0.70 mm)	6.5 ft (2 m)	106R-100

B. Beadalon 100% Silk Bead Cord - Two Cards

Actual Size	Thread Color	Thread Size	Diameter	Lenath	Part #	
JIZE	COLOL	JIZE	Diameter	Length	rait#	_
	White	4	.024 in (0.60 mm)	Two 6.5 ft (2 m)	JH04S-WHITE-C2	NEW!

EXCLUSIVE!

C. Beadalon 100% Silk Bead Cord Color Variety Pack - Five Cards

Thread	Length			
Size	Diameter	Per Card	Colors	Part #
6	.030 in (0.70 mm)	6.5 ft (2 m)/each	Black, Gray, Brown, Lt. Pink, White	106X-101

EXCLUSIVE!

D. Beadalon 100% Silk Bead Cord White Diameter Variety Pack - Five Cards

Thread Sizes and Diameters	Length Per Card	Part #
	I CI Culu	Turen
(1) .018 in (0.45 mm) (2) .024 in (0.60 mm) (2) .030 in (0.70 mm)	6.5 ft (2 m)/each	106A-120

Beadalon Spooled Silk Thread - 0.5 oz Bobbins

Beadalon Spooled Silk Thread is so soft, you won't even feel it slip through your fingers. Designs made on 100% Silk Thread drape naturally and look elegant. Keep hands clean when using silk. Store unused portion of Silk in plastic bag or container to avoid discoloration from body oils or lotion.

E. Beadalon Spooled Silk Thread – White


Actual			Size	
Size	Diameter	Length	Letter	Part #
	.008 in (0.20 mm)	1,170 ft (357 m)	В	JHXXBS-WHI.5Z
	.011 in (0.27 mm)	930 ft (283 m)	C	JHXXCS-WHI.5Z
	.012 in (0.30 mm)	780 ft (237 m)	D	JHXXDS-WHI.5Z
	.013 in (0.33 mm)	600 ft (182 m)	E	JHXXES-WHI.5Z
	.014 in (0.36 mm)	420 ft (127 m)	F	JHXXFS-WHI.5Z
	.017 in (0.42 mm)	276 ft (84 m)	FFF	JHXXFFFS-WHI.5Z

F. Beadalon Spooled Silk Thread – Black

Actual			Size	
Size	Diameter	Length	Letter	Part #
	.008 in (0.20 mm)	1,170 ft (357 m)	В	JHXXBS-BLK.5Z
	.012 in (0.30 mm)	780 ft (237 m)	D	JHXXDS-BLK.5Z
	.013 in (0.33 mm)	600 ft (182 m)	E	JHXXES-BLK.5Z
	.014 in (0.36 mm)	420 ft (127 m)	F	JHXXFS-BLK.5Z
	.015 in (0.38 mm)	276 ft (84 m)	FF	JHXXFFS-BLK.5Z
	.017 in (0.42 mm)	276 ft (84 m)	FFF	JHXXFFFS-BLK.5Z



Use the Knot-a-Bead Tabletop Knotter or the Handheld Knotter Tool to create fast, easy, quality knots (p. 128).













See the complete selection of Beadalon Needles (p. 51-53).





1-866-423-2325

RePEaTTM EXCLUSIVE Make Earth-Friendly jewelry with RePEaT braided jewelry cord made from 100% recycled plastic bottles - even the packaging is made from recycled cardboard! Made in The Netherlands.

- Available in 10 colors and 2 sizes
- 1.0 mm (.040 in) diameter cord has an 8 braid construction
- 1.5 mm (.060 in) diameter has a 12 braid construction
- Braided texture has a beautiful sheen for making slide bracelets, necklaces, and anklets
- Also great for Kumihimo braids, micro-macrame, or other braided jewelry items

Actual	Break				
Size	Strength	Diameter	Length	Color	Part #
	100 lb (45.3 kg)	1.0 mm (.040 in)	5 m (16.4 ft)	Black	145T-010
	100 lb (45.3 kg)	1.0 mm (.040 in)	5 m (16.4 ft)	Cloud	145A-010
	100 lb (45.3 kg)	1.0 mm (.040 in)	5 m (16.4 ft)	Sand	145R-010
	100 lb (45.3 kg)	1.0 mm (.040 in)	5 m (16.4 ft)	Earth	145Y-010
	100 lb (45.3 kg)	1.0 mm (.040 in)	5 m (16.4 ft)	Fuchsia	145C-010
	100 lb (45.3 kg)	1.0 mm (.040 in)	5 m (16.4 ft)	Lime Green	145P-010
	100 lb (45.3 kg)	1.0 mm (.040 in)	5 m (16.4 ft)	Gray	145S-010
	100 lb (45.3 kg)	1.0 mm (.040 in)	5 m (16.4 ft)	Sky Blue	1451-010
	100 lb (45.3 kg)	1.0 mm (.040 in)	5 m (16.4 ft)	Navy	145K-010
	100 lb (45.3 kg)	1.0 mm (.040 in)	5 m (16.4 ft)	Coral	145D-010
	125 lb (56.7 kg)	1.5 mm (.060 in)	5 m (16.4 ft)	Black	145T-015
	125 lb (56.7 kg)	1.5 mm (.060 in)	5 m (16.4 ft)	Cloud	145A-015
	125 lb (56.7 kg)	1.5 mm (.060 in)	5 m (16.4 ft)	Sand	145R-015
	125 lb (56.7 kg)	1.5 mm (.060 in)	5 m (16.4 ft)	Earth	145Y-015
	125 lb (56.7 kg)	1.5 mm (.060 in)	5 m (16.4 ft)	Fuchsia	145C-015
	125 lb (56.7 kg)	1.5 mm (.060 in)	5 m (16.4 ft)	Lime Green	145P-015
	125 lb (56.7 kg)	1.5 mm (.060 in)	5 m (16.4 ft)	Gray	145S-015
	125 lb (56.7 kg)	1.5 mm (.060 in)	5 m (16.4 ft)	Sky Blue	1451-015
	125 lb (56.7 kg)	1.5 mm (.060 in)	5 m (16.4 ft)	Navy	145K-015
	125 lb (56.7 kg)	1.5 mm (.060 in)	5 m (16.4 ft)	Coral	145D-015

RePEaT JEWELRY CORD COLOR CHART Black Cloud Beadalon Earth Sand rPET JEWELRY CORD rPET CORDON DE BIJOUX Fuchsia Lime Green Gray Sky Blue Cord Made From Fabriqué À Partin 100% Recycled de Bouteilles en Plastique 100 % Recyclées 1.0 mm • 5 m Navy Coral

Made from 100% recycled plastic bottles!

repear

PET plastic is one of the most common plastics in the world used for water and beverage bottles. RePEaT™ Jewelry Cord is made from 100% recycled plastic bottles, and is an eco-friendly choice to make your next jewelry design!



SCAN TO WATCH A VIDEO ON RePEaT TIPS & TRICKS

Cut with WildFire Cord Cutter (p. 49) to eliminate fraying.

Beadalon 1-866-423-2325

B-Lon™ Variety Packs

B-Lon is a Tex210 nylon thread with a diameter of .5mm (.02 in) specially formulated for a variety of beading and jewelry making applications. It works great for macramé designs with and without beads. Use it for Kumihimo, bead weaving and even bead stringing.

Actual Size	Diameter	Length	Color	Part #	
	.020 in (0.50 mm)	20 yd (18.2 m)/spool (3)	White	170X-105 🖌	NEW!
	.020 in (0.50 mm)	20 yd (18.2 m)/spool (3)	Gray	170X-106 🗚	NEW!
	.020 in (0.50 mm)	40 yd (36.5 m)	White	170W-001	NEW!
	.020 in (0.50 mm)	40 yd (36.5 m)	Black	170B-001 🗚	NEW!
	.020 in (0.50 mm)	40 yd (36.5 m)	Gray	170G-001 🖊	NEW!



40 yd (36.5 m)

A. The Basics of Bead Stringing **EXCLUSIVEI**

By Genevieve Bourget. A complete illustrated approach to beginner and advanced designers which explains how to use many Beadalon products. Well written and explanatory. 64 pages full of valuable information at an affordable price. Part #

JBKBOURG

B. Bead Stringing Basics **EXCLUSIVEI**

By Margot Potter. Learn how to make these exciting designs and gain inspiration to create your own jewelry with wire, chain, and other stringing materials! This booklet features unique, fun, and easy designs to get you started as an inspired jewelry artist! The designs included come with easy to follow instructions with over 100 images and exceptional tips. Before you know it, you will be on your way to bead stringing like a pro! Published by Beadalon.

> Part # JBKSTRING01

C. Sensational Bead Stringing **EXCLUSIVE**

By Katie Hacker. A great reference book for using bead stringing wire to make many different types of jewelry. Make 40 trendy and stylish jewelry designs with easy to follow instructions. Combine macrame techniques with wire to create beaded necklaces, bracelets, lariats, anklets and more! Instructions are rated by difficulty level for the beginner, intermediate and expert beader. Reproduce the book's designs exactly – or get inspired to incorporate new techniques into your own designs. 32 pages. Published by Beadalon.



Learn how to make exciting designs and gain inspiration to create your own jewelry with wire, chain, and other stringing materials!

> Exclusive publishing rights acquired by Beadalon in 2018!

Beadalon Bead Stringing Basics









С










C. BATHING

DandyLine® **EXCLUSIVEI**

Ideal for stitching and detailed beadwork, DandyLine is a braided thread that provides maximum strength and flexibility for any bead stringing and bead weaving project. It is made specifically for beading using an advanced synthetic material that provides extreme softness, flexibility, and near zero stretch. DandyLine is 100% water proof and will not stretch, and is an excellent choice for Seed Beads. Use Hard Beading Needles for smaller diameters and Collapsible Eye Needles for larger diameters. We suggest knotting for extra security. Made in USA. 🗮

Size	Size	Diameter	Break	Length	Color	Part #
	X- Fine	.004 in (0.13 mm)	15 lb (6.8 kg)	82 ft (25 m)	White	JG0.13W-025M
	Fine	.006 in (0.15 mm)	18 lb (8.2 kg)	82 ft (25 m)	White	JG0.15W-025M
	Medium	.008 in (0.20 mm)	22 lb (9.9 kg)	82 ft (25 m)	White	JG0.20W-025M
	Heavy	.011 in (0.28 mm)	30 lb (13.6 kg)	82 ft (25 m)	White	JG0.28W-025M
	X-Heavy	.012 in (0.30 mm)	35 lb (15.8 kg)	82 ft (25 m)	White	JG0.30W-025M
	X-Fine	.004 in (0.13 mm)	15 lb (6.8 kg)	82 ft (25 m)	Black*	JG0.13B-025M
	Fine	.006 in (0.15 mm)	18 lb (8.2 kg)	82 ft (25 m)	Black*	JG0.15B-025M
	Medium	.008 in (0.20 mm)	22 lb (9.9 kg)	82 ft (25 m)	Black*	JG0.20B-025M
	Heavy	.011 in (0.28 mm)	30 lb (13.6 kg)	82 ft (25 m)	Black*	JG0.28B-025M
	X-Heavy	.012 in (0.30 mm)	35 lb (15.8 kg)	82 ft (25 m)	Black*	JG0.30B-025M
	Fine	.006 in (0.15 mm)	18 lb (8.2 kg)	328 ft (100 m)	White	JG0.15W-100M
	Medium	.008 in (0.20 mm)	22 lb (9.9 kg)	328 ft (100 m)	White	JG0.20W-100M
	Heavy	.011 in (0.28 mm)	30 lb (13.6 kg)	328 ft (100 m)	White	JG0.28W-100M



Even at small diameters, DandyLine thread yields an amazing break strength of 35 lb (15.8 kg) at 0.30 mm (.012 in) diameter.



Beadalon 1-866-423-2325

CORDS AND STRINGING

(47)

SuppleMax™ **EXCLUSIVEI**

Ideal for fashioning the "Illusion" and "Floating" designs, SuppleMax Nylon Bead Stringing Material is extra soft and supple. Ideal for stringing plastic, wood, and other non-abrasive beads. Best secured by knotting. Actual

Diameter	Break	Length	Color	Part #
.006 in (0.15 mm)	3 lb (1.4 kg)	164 ft (50 m)	Clear	JN0.15W-F
.010 in (0.25 mm)	8 lb (3.6 kg)	164 ft (50 m)	Clear	JN0.25W-F
.012 in (0.30 mm)	12 lb (5.4 kg)	164 ft (50 m)	Clear	JN0.30W-F
.014 in (0.36 mm)	15 lb (6.8 kg)	164 ft (50 m)	Clear	JN0.35W-F
.016 in (0.40 mm)	20 lb (9.0 kg)	164 ft (50 m)	Clear	JN0.40W-F
.020 in (0.50 mm)	30 lb (13.6 kg)	164 ft (50 m)	Clear	JN0.50W-F
.024 in (0.60 mm)	40 lb (18.4 kg)	164 ft (50 m)	Clear	JN0.60W-F
.010 in (0.25 mm)	8 lb (3.6 kg)	164 ft (50 m)	Black	JN0.25B-F
.010 in (0.25 mm)	8 lb (3.6 kg)	328 ft (100 m)	Clear	JN0.25W-100M
.012 in (0.30 mm)	12 lb (5.4 kg)	328 ft (100 m)	Clear	JN0.30W-100M
.016 in (0.40 mm)	20 lb (9.0 kg)	328 ft (100 m)	Clear	JN0.40W-100M
	.006 in (0.15 mm) .010 in (0.25 mm) .012 in (0.30 mm) .014 in (0.36 mm) .016 in (0.40 mm) .020 in (0.50 mm) .024 in (0.60 mm) .010 in (0.25 mm) .010 in (0.25 mm) .012 in (0.30 mm)	.006 in (0.15 mm) 3 lb (1.4 kg) .010 in (0.25 mm) 8 lb (3.6 kg) .012 in (0.30 mm) 12 lb (5.4 kg) .014 in (0.36 mm) 15 lb (6.8 kg) .016 in (0.40 mm) 20 lb (9.0 kg) .020 in (0.50 mm) 30 lb (13.6 kg) .024 in (0.60 mm) 40 lb (18.4 kg) .010 in (0.25 mm) 8 lb (3.6 kg) .010 in (0.25 mm) 8 lb (3.6 kg) .012 in (0.30 mm) 12 lb (5.4 kg)	.006 in (0.15 mm) 3 lb (1.4 kg) 164 ft (50 m) .010 in (0.25 mm) 8 lb (3.6 kg) 164 ft (50 m) .012 in (0.30 mm) 12 lb (5.4 kg) 164 ft (50 m) .012 in (0.30 mm) 12 lb (5.4 kg) 164 ft (50 m) .014 in (0.36 mm) 15 lb (6.8 kg) 164 ft (50 m) .016 in (0.40 mm) 20 lb (9.0 kg) 164 ft (50 m) .020 in (0.50 mm) 30 lb (13.6 kg) 164 ft (50 m) .020 in (0.50 mm) 30 lb (13.6 kg) 164 ft (50 m) .024 in (0.60 mm) 40 lb (18.4 kg) 164 ft (50 m) .010 in (0.25 mm) 8 lb (3.6 kg) 164 ft (50 m) .010 in (0.25 mm) 8 lb (3.6 kg) 328 ft (100 m) .012 in (0.30 mm) 12 lb (5.4 kg) 328 ft (100 m)	.006 in (0.15 mm) 3 lb (1.4 kg) 164 ft (50 m) Clear .010 in (0.25 mm) 8 lb (3.6 kg) 164 ft (50 m) Clear .012 in (0.30 mm) 12 lb (5.4 kg) 164 ft (50 m) Clear .014 in (0.36 mm) 12 lb (5.4 kg) 164 ft (50 m) Clear .014 in (0.36 mm) 15 lb (6.8 kg) 164 ft (50 m) Clear .016 in (0.40 mm) 20 lb (9.0 kg) 164 ft (50 m) Clear .016 in (0.40 mm) 20 lb (9.0 kg) 164 ft (50 m) Clear .020 in (0.50 mm) 30 lb (13.6 kg) 164 ft (50 m) Clear .024 in (0.60 mm) 40 lb (18.4 kg) 164 ft (50 m) Clear .010 in (0.25 mm) 8 lb (3.6 kg) 164 ft (50 m) Black .010 in (0.25 mm) 8 lb (3.6 kg) 328 ft (100 m) Clear .010 in (0.25 mm) 12 lb (5.4 kg) 328 ft (100 m) Clear

SuppleMax™ Ultra **EXCLUSIVEI**

Ultra Abrasion Resistant SuppleMax is yet another technological advance from Beadalon. This material has 15x the abrasion resistance of usual nylon bead stringing materials. It has a soft white appearance which makes it look threadlike and has excellent drape. Available in two diameters.

Actual Size	Diameter	Break	Length	Color	Part #
	.010 in (0.25 mm)	9 lb (4.1 kg)	82 ft (25 m)	White	JNX0.25W-F
	.012 in (0.30 mm)	13 lb (5.9 kg)	82 ft (25 m)	White	NX0.30W-F

SuppleMax is the perfect choice for 'floating' and 'illusion' designs!







Beadalo

IUSION CORD IRESSÉ TRANSPARENT BRAID Clear/Transparent/Claro .020 in

SUPPLEMAX ULTRA	
White	



SUPPLEMAX BRAID Clear

SuppleMax™ Braid **EXCLUSIVEI**

A . t. . . . I

Get the same great Supplemax quality material in braided, strong durable nylon form! Soft, flexible, braided multi-strand nylon allows for more abrasion resistance. Similar to an old product on the market called C-Thru-B. Made in USA. 🗮

Size	Diameter	Break	Length	Color	Part #
	.020 in (0.50 mm)	10 lb (4.5 kg)	82 ft (25 m)	Clear	JNB0.50W-F

Black

Frost

www.beadalon.com Beadalom

1-866-423-2325

Made in USA! Beadalon Beadalon Diameter Black Frost .006 in Break 0.15 mm Break 10 lb 4.5 kg 10 lb 8 ıd 20 SCAN TO WATCH A VIDEO ON WILDFIRE **TIPS & TRICKS** WILDFIRE COLOR CHART Pink Beige Gray Red Blue Green

WildFire® **EXCLUSIVEI**

WildFire beading thread is a strong and durable cord with a smooth, thermally bonded coating to create a superior stringing product. Super strong, waterproof, and near zero-stretch, this cord will not fray at the ends which makes it easy to thread through a needle. WildFire is also colorfast - the color will not come-off on fingers like some other cords. This knottable, supple cord is great for intricate loom-work and multi-strand seed bead designs using the Spin-N-Bead.

Actual			Break		
Size	Diameter	Length	Strength	Color	Part #
	.006 in (0.15 mm)	20 yd (18 m)	10 lb (4.5 kg)	Gray	161A-004
	.006 in (0.15 mm)	20 yd (18 m)	10 lb (4.5 kg)	Red	161D-004
	.006 in (0.15 mm)	20 yd (18 m)	10 lb (4.5 kg)	Blue	1611-004
	.006 in (0.15 mm)	20 yd (18 m)	10 lb (4.5 kg)	Green	161P-004
	.006 in (0.15 mm)	20 yd (18 m)	10 lb (4.5 kg)	Black	161T-004
	.006 in (0.15 mm)	20 yd (18 m)	10 lb (4.5 kg)	Frost	161U-004
	.006 in (0.15 mm)	20 yd (18 m)	10 lb (4.5 kg)	Beige	161S-004
	.006 in (0.15 mm)	20 yd (18 m)	10 lb (4.5 kg)	Pink	161B-004
	. ,				
	.006 in (0.15 mm)	50 yd (45 m)	10 lb (4.5 kg)	Gray	161A-008
	.006 in (0.15 mm)	50 yd (45 m)	10 lb (4.5 kg)	Red	161D-008
	.006 in (0.15 mm)	50 yd (45 m)	10 lb (4.5 kg)	Blue	1611-008
	.006 in (0.15 mm)	50 yd (45 m)	10 lb (4.5 kg)	Green	161P-008
	.006 in (0.15 mm)	50 yd (45 m)	10 lb (4.5 kg)	Black	161T-008
	.006 in (0.15 mm)	50 yd (45 m)	10 lb (4.5 kg)	Frost	161U-008
	.006 in (0.15 mm)	50 yd (45 m)	10 lb (4.5 kg)	Beige	161S-008
	.006 in (0.15 mm)	50 yd (45 m)	10 lb (4.5 kg)	Pink	161B-008
	.006 in (0.15 mm)	125 yd (114 m)	10 lb (4.5 kg)	Gray	161A-010
	.006 in (0.15 mm)	125 yd (114 m)	10 lb (4.5 kg)	Red	161D-010
	.006 in (0.15 mm)	125 yd (114 m)	10 lb (4.5 kg)	Blue	1611-010
	.006 in (0.15 mm)	125 yd (114 m)	10 lb (4.5 kg)	Green	161P-010
	.006 in (0.15 mm)	125 yd (114 m)	10 lb (4.5 kg)	Black	161T-010
	.006 in (0.15 mm)	125 yd (114 m)	10 lb (4.5 kg)	Frost	161U-010
	.006 in (0.15 mm)	125 yd (114 m)	10 lb (4.5 kg)	Beige	161S-010
	.006 in (0.15 mm)	125 yd (114 m)	10 lb (4.5 kg)	Pink	161B-010
	.006 in (0.15 mm)	300 yd (274 m)	10 lb (4.5 kg)	Gray	161A-020
	.006 in (0.15 mm)	300 yd (274 m)	10 lb (4.5 kg)	Green	161P-020
	.006 in (0.15 mm)	300 yd (274 m)	10 lb (4.5 kg)	Black	161T-020
	.006 in (0.15 mm)	300 yd (274 m)	10 lb (4.5 kg)	Frost	161U-020
	.006 in (0.15 mm)	300 yd (274 m)	10 lb (4.5 kg)	Beige	161S-020
	.006 in (0.15 mm)	300 yd (274 m)	10 lb (4.5 kg)	Pink	161B-020
	.008 in (0.20 mm)	20 yd (18 m)	12 lb (5.5 kg)	Gray	162A-004
	.008 in (0.20 mm)	20 yd (18 m)	12 lb (5.5 kg)	Red	162D-004
	.008 in (0.20 mm)	20 yd (18 m)	12 lb (5.5 kg)	Green	162P-004
	.008 in (0.20 mm)	20 yd (18 m)	12 lb (5.5 kg)	Black	162T-004
	.008 in (0.20 mm)	20 yd (18 m)	12 lb (5.5 kg)	Frost	162U-004
	.008 in (0.20 mm)	20 yd (18 m)	12 lb (5.5 kg)	Beige	1625-004
	.008 in (0.20 mm)	20 yd (18 m)	12 lb (5.5 kg)	Pink	162B-004
				_	
	.008 in (0.20 mm)	50 yd (45 m)	12 lb (5.5 kg)	Gray	162A-008
	.008 in (0.20 mm)	50 yd (45 m)	12 lb (5.5 kg)	Green	162P-008
	.008 in (0.20 mm)	50 yd (45 m)	12 lb (5.5 kg)	Black	162T-008
	.008 in (0.20 mm)	50 yd (45 m)	12 lb (5.5 kg)	Frost	1620-008
	.008 in (0.20 mm)	50 yd (45 m)	12 lb (5.5 kg)	Beige	162S-008
	.008 in (0.20 mm)	50 yd (45 m)	12 lb (5.5 kg)	Pink	162B-008
	000 := (0.20 == ==)	125 und (114 mm)	12 lb (F F lcz)	C	1(2) 010
	.008 in (0.20 mm) .008 in (0.20 mm)	125 yd (114 m)	12 lb (5.5 kg)	Gray	162A-010
	. ,	125 yd (114 m)	12 lb (5.5 kg)	Green Black	162P-010
	.008 in (0.20 mm)	125 yd (114 m)	12 lb (5.5 kg)	Frost	162T-010
	.008 in (0.20 mm)	125 yd (114 m)	12 lb (5.5 kg) 12 lb (5.5 kg)		1620-010
	.008 in (0.20 mm) .008 in (0.20 mm)	125 yd (114 m)		Beige	162S-010
	.000 III (0.20 IIIII)	125 yd (114 m)	12 lb (5.5 kg)	Pink	162B-010
	0.08 in (0.20 mm)	300 yd (274 m)	12 lb (5.5 kg)	Grov	1624-020
	.008 in (0.20 mm)	, , ,	12 lb (5.5 kg) 12 lb (5.5 kg)	Gray	162A-020
	.008 in (0.20 mm)	300 yd (274 m)		Green	162P-020
	.008 in (0.20 mm) .008 in (0.20 mm)	300 yd (274 m) 300 yd (274 m)	12 lb (5.5 kg) 12 lb (5.5 kg)	Black Frost	162T-020
	.008 in (0.20 mm)	300 yd (274 m)	12 lb (5.5 kg)	Pink	162U-020 162B-020
		500 yu (274 III)	12 ID (3.3 Kg)	THIK	162B-020

This knottable, supple cord is great for intricate loom-work and multi-strand seed bead designs.

Beadalon 1-866-423-2325

WildFire® Ultra **EXCLUSIVEI**

WildFire Ultra is a fine-diameter thread ideal for intricate bead stitching where multiple thread passes are required. This fray-resistant, super thin diameter braid has an incredible break strength nearly double that of its closest competitor. Cut with a very sharp, Beadalon Beading Scissors (p. 126) or use the WildFire Cord Cutter (below) to trim and seal the ends.

Actual Size	Diameter	Length	Break Strength	Color	Part #
	.004 in (0.10 mm)	20 yd (18.3 m)	9 lb (4.1 kg)	Frost	160U-004
	.004 in (0.10 mm)	20 yd (18.3 m)	9 lb (4.1 kg)	Black	160T-004
	.004 in (0.10 mm)	50 yd (45.8 m)	9 lb (4.1 kg)	Frost	160U-008
	.004 in (0.10 mm)	50 yd (45.8 m)	9 lb (4.1 kg)	Black	160T-008
	.004 in (0.10 mm)	125 yd (114.4 m)	9 lb (4.1 kg)	Frost	160U-010
	.004 in (0.10 mm)	125 yd (114.4 m)	9 lb (4.1 kg)	Black	160T-010



- Ultra Fine Diameter
- Ultra Supple
- Waterproof
- Zero Stretch

Part #

211F-100

211F-102


Colorfast

.004 in (0.10 mm) break at 9 lb (4.1 kg) vs competitor 4 lb (1.82 kg) strongest .004 in on the market!

WildFire® Cord Cutter & Replacement Tips

Use the battery operated WildFire Cord Cutter to quickly and easily cut and fuse the ends of WildFire Beading Thread. Uses two AAA batteries (not included). Also great for Nylon and Poly-cords, as well as sealing frays in many types of stringing materials including B-Lon. Replacement tips (2) sold separately.





Name

WildFire® Cord Cutter

Extend the life of your WildFire Cord Cutter with replacement tips.

.004 in on the market!

e a state

WildFire Commerciants Commerciants

other Cords with ease!


WildFire Hard Needles **EXCLUSIVEI**

Wildfire is the perfect stringing material for bead weaving with seed beads and WildFire Hard Needles are the perfect needles to use with the cord! These specially made size 13 needles allow you to make multiple passes through your beads for intricate designs. To make threading the needle easier, first flatten the end of the WildFire with Chain Nose Pliers.

For Cord Diameters			Pieces	
Size	up to	Length	Per Pack	Part #
13	.011 in (0.28 mm)	1.125 in (2.85 cm)	10	JNEEH13/10



These size 13 needles allow you to make multiple passes through your beads for intricate designs.







FireLine Bead Thread is designed especially for beaders versus its fishing counterpart.





Berkley[®] FireLine[®]

Berkley[®] FireLine[®] beadweaving thread is the perfect choice for beginner and experienced beadweavers alike who are looking for a strong and durable thread. Its exceptional strength and durability make it highly regarded among experts in the field and ideal for intricate beadwork designs. Due to its miniature 4-carrier filament diameter and material, cutting Berkley[®] FireLine[®] requires a sharp cutting tool. Made in the USA.

You can use Beadalon Beading Scissors (p. 126) or use the WildFire Cord Cutter (p. 49) to achieve clean cuts and easily seal the ends after knotting. To make threading easier, flatten the end of Berkley® FireLine® with Chain Nose Pliers before threading it into a needle. Using a size 12 or 13 needle is recommended for the .005 in (0.13 mm) diameter, while a size 10 needle is ideal for the .006 in (0.15 mm) through .008 in (0.20 mm) diameters.

Actual			Break		
Size	Diameter	Length	Strength	Color	Part #
	.005 in (0.13 mm)	50 yd (45 m)	4 lb (1.8 kg)	Crystal	164U-008
	.006 in (0.15 mm)	50 yd (45 m)	6 lb (2.7 kg)	Crystal	166U-008
	.007 in (0.18 mm)	50 yd (45 m)	8 lb (3.6 kg)	Crystal	168U-008
	.008 in (0.20 mm)	50 yd (45 m)	10 lb (4.5 kg)	Crystal	169U-008
	.005 in (0.13 mm)	125 yd (114 m)	4 lb (1.8 kg)	Crystal	164U-010
	.006 in (0.15 mm)	125 yd (114 m)	6 lb (2.7 kg)	Crystal	166U-010
	.007 in (0.18 mm)	125 yd (114 m)	8 lb (3.6 kg)	Crystal	168U-010
	.005 in (0.13 mm)	300 yd (274.3 m)	4 lb (1.8 kg)	Crystal	164U-020
	.005 in (0.13 mm)	50 yd (45 m)	4 lb (1.8 kg)	Smoke	164T-008
	.006 in (0.15 mm)	50 yd (45 m)	6 lb (2.7 kg)	Smoke	166T-008
	.007 in (0.18 mm)	50 yd (45 m)	8 lb (3.6 kg)	Smoke	168T-008
	.008 in (0.20 mm)	50 yd (45 m)	10 lb (4.5 kg)	Smoke	169T-008
	.005 in (0.13 mm)	125 yd (114 m)	4 lb (1.8 kg)	Smoke	164T-010
	.006 in (0.15 mm)	125 yd (114 m)	6 lb (2.7 kg)	Smoke	166T-010
	.007 in (0.18 mm)	125 yd (114 m)	8 lb (3.6 kg)	Smoke	168T-010
	.005 in (0.13 mm)	300 yd (274.3 m)	4 lb (1.8 kg)	Smoke	164T-020

		Wildfire®	Berkley®
	Wildfire®	Ultra	FireLine ®
Waterproof	 Image: A set of the set of the	~	
Durable	 Image: A start of the start of	 Image: A set of the set of the	 Image: A second s
Fray Resistant	 Image: A set of the set of the	 Image: A set of the set of the	 Image: A second s
Fused	×	×	
Non Stretch	 Image: A set of the set of the	 Image: A set of the set of the	
Thermally Bonded	 	×	×
Colorfast	>	× × × × × ×	× × × × × ×
Knottable	 	 	
Made In The USA	 	 	
Available In .004 in 0.10 mm Diameter	×	~	×
Good For Seed			
Bead Weaving			
Abrasion Resistant	 Image: A set of the set of the		 ✓
Soft And Supple And Threadlike	~	~	×
Available In Colors	~	×	×
Monofilament	×	×	
Need To Wax	×	× × ····	×
Good For Fringe	× × ×	~	× × × ×
Good For Multiple Passes Through Small Seed Beads	×	~	~
Good For Bead Woven Bracelets	~	~	~
Good For Larger Beads With Larger Holes	~	×	~

Jewel Loom® Needles - Rigid

Designed specifically for use with loom work, these longer needles are great for picking-up small beads and weaving intricate designs. These needles work great with DandyLine, Elasticity, Thread, and Wildfire (Tip: use pliers to flatten end of Wildfire for easier threading). Ideal for use with the Jewel Loom (p. 132)!

	Size	Diameter	Length	For Bead Cord Sizes	Pieces Per Pack	Part #
A	10	.018 in (0.46 mm)	3.125 in (8 cm)	up to .011 in	6	701S-500

Hard Beading Needles - Rigid

English style Hard Beading Needles are perfect for stringing beads with DandyLine, Elasticity, Thread, and Wildfire (use pliers to flatten end of Wildfire for easier threading). 6-pack includes one handy needle-threader (12-pack has two threaders) for quick and easy threading.

	Size	Diameter	Length	For Bead Cord Sizes	Pieces Per Pack	Part #
B	10	.018 in (0.46 mm)	2 in (5 cm)	up to .011 in	6	JNEEH10/6
C	12	.016 in (0.42 mm)	2 in (5 cm)	up to .007 in	12	JNEEH12/12
B	10	.018 in (0.46 mm)	2 in (5 cm)	up to .011 in	12	JNEEH10/12
C	12	.016 in (0.42 mm)	2 in (5 cm)	up to .007 in	25	JNEEH12/25
В	10	.018 in (0.46 mm)	2 in (5 cm)	up to .011 in	25	JNEEH10/25

Curved Beading Needles - Rigid


Curved Beading Needles are designed specifically for use with the Spin-N-Bead bead loaders (p. 130). Seed beads just jump onto the curved needle like magic!

		Pieces		
	Diameter	Length	Per Pack	Part #
D	.022 in (0.58 mm)	4.5 in (11.4 cm)	1	710A-010

Big Eye Curved Beading Needles EXCLUSIVE

The Big Eye Curved Beading Needle makes threading easy. The eye of the needle spans most of its length and retains its shape. Accommodates all sizes of bead cord. Designed specifically for use with the Spin-N-Bead bead loaders (p. 130) – seed beads just jump onto the curved needle like magic!

		Pieces		
	Diameter	Length	Per Pack	Part #
E	.022 in (0.58 mm)	3.5 in (9 cm)	2	700A-300
E	.022 in (0.58 mm)	3.5 in (9 cm)	50	700A-301



Δ

В

с

D

Ε

G



The specially designed eye

automatically collapses and

instantly reshapes when it is

pulled through the bead.

Stainless Steel Collapsible Eye Needles - Flexible EXCLUSIVE

Collapsible Eye Needles are flexible and are particularly nice for stringing beads that have very small holes. Extra-spring wire is kink-resistant and has a specially designed eye that automatically collapses and instantly reshapes when it is pulled through the bead. The large eye is easy to thread and accommodates many sizes of cord. Five inch length makes stringing beads easier, and the 2.5 inch needles are great for seed bead projects.

	Size	Diameter	Length	Pieces Per Pack	Part #
A	Extra Fine	.009 in (0.23 mm)	5 in (12.7 cm)	4	700XF-156
В	Fine	.012 in (0.30 mm)	5 in (12.7 cm)	4	700F-150
C	Medium	.014 in (0.36 mm)	5 in (12.7 cm)	4	700M-150
D	Heavy	.020 in (0.51 mm)	5 in (12.7 cm)	4	700H-150
E	Extra Heavy	.024 in (0.60 mm)	5 in (12.7 cm)	4	700XH-156
*	Assorted	.012, .014, .020 in	5 in (12.7 cm)	3	700K-200
F	Extra Fine	.009 in (0.23 mm)	2.5 in (6.4 cm)	4	700XF-150
G	Fine	.012 in (0.30 mm)	2.5 in (6.4 cm)	4	700F-102
H	Medium	.014 in (0.36 mm)	2.5 in (6.4 cm)	4	700M-100
I	Heavy	.020 in (0.51 mm)	2.5 in (6.4 cm)	4	700H-100
J	Extra Heavy	.024 in (0.60 mm)	2.5 in (6.4 cm)	4	700XH-150
*	Assorted	.012, .014, .020 in	2.5 in (6.4 cm)	3	700K-100
*	Assorted	009, .012, .014, .020, .024 in	2.5 in (6.4 cm)	5	700K-120
B	Fine	.012 in (0.30 mm)	5 in (12.7 cm)	50	JNEEC-F/50
C	Medium	.014 in (0.36 mm)	5 in (12.7 cm)	50	JNEEC-M/50
D	Heavy	.020 in (0.51 mm)	5 in (12.7 cm)	50	JNEEC-H/50
G	Fine	.012 in (0.30 mm)	2.5 in (6.4 cm)	50	700F-101
H	Medium	.014 in (0.36 mm)	2.5 in (6.4 cm)	50	700M-101
I	Heavy	.020 in (0.51 mm)	2.5 in (6.4 cm)	50	700H-101

* Assorted pack contains one of each Fine, Medium, & Heavy needle



Stainless Steel Collapsible Big Eye Needle - Flexible

This needle is a combination of a Collapsible Eye Needle and Big Eye Needle great for easy threading as well as stringing.

			Pieces			
	Size	Diameter	Length	Per Pack	Part #	
K	Extra Fine	.010 in (0.25 mm)	2.5 in (6.4 cm)	2	701S-300	





Twisted Beading Needles - Flexible

Now you can buy the same high-quality flexible twisted needles that are supplied on carded bead cord. Asian Twisted Beading needles offer the same features with cost savings and are available in retail packs!

Made in Germany

				For Bead	Pieces	
	Size	Diameter	Length	Cord Sizes	Per Pack	Part #
A	Fine	.009 in (0.23 mm)	3.5 in (9 cm)	0-2	25	JNEETW-F/25
В	Medium	.014 in (0.36 mm)	3.5 in (9 cm)	3-6	25	JNEETW-M/25
C	Heavy	.019 in (0.49 mm)	3.5 in (9 cm)	7+	25	JNEETW-H/25
Mad	e in Asia					
D	Fine	.009 in (0.23 mm)	3.5 in (9 cm)	0-2	10	700F-201
E	Medium	.014 in (0.36 mm)	3.5 in (9 cm)	3-6	10	700M-201
F	Heavy	.019 in (0.49 mm)	3.5 in (9 cm)	7+	10	700H-201
D	Fine	.009 in (0.23 mm)	3.5 in (9 cm)	0-2	50	700F-200
E	Medium	.014 in (0.36 mm)	3.5 in (9 cm)	3-6	50	700M-200
F	Heavy	.019 in (0.49 mm)	3.5 in (9 cm)	7+	50	700H-200

Stainless Steel Big Eye Beading Needles - Rigid **EXCLUSIVE**

Made from special, high-tensile stainless steel wire, the eye spans most of the length of the needle, making it easy to thread without eye strain. Fits all sizes of bead cord and is very flexible, making it great for stringing beads individually or from trays. Carefully sharpened for precise use.

			Pieces	
	Diameter	Length	Per Pack	Part #
G	.022 in (0.58 mm) Standard	2.25 in (5.7 cm)	4	JNEED2.25/4
H	.022 in (0.58 mm) Standard	4.5 in (11.6 cm)	4	JNEED4.5/4
,	022 in (0 59 mm) (tendend	2.25 in (5.7 cm)	1	
G	.022 in (0.58 mm) Standard	2.25 in (5.7 cm)	1 up (50 pc)	JNEED2.25
H	.022 in (0.58 mm) Standard	4.5 in (11.6 cm)	1 up (50 pc)	JNEED4.5
	.016 in (0.40 mm) Fine	2.25 in (5.7 cm)	4	JNEEDF2.25/4
j	.016 in (0.40 mm) Fine	4.5 in (11.6 cm)	4	JNEEDF4.5/4

K .022 in (0.58 mm) Standard 1.75 in, 2.25 in, 3.25 in, 4.5 in JNEED-ASST01

Κ

4






L. Needles Variety Pack

This Needle Variety packs give all the beading flexibility with more options for lots of beading needs. Pack include two Hard Needles, a Big Eye Needle, and a Collapsible Eye Needle!





54

www.beadalon.com



1-866-423-2325

Hollow Rubber Tubing

Explore unique jewelry designs with hollow rubber tubing! Use it as a stringing cord to showcase a pendant, charm, or special bead. Rubber tubing also works great for covering memory wire or other stringing materials, creating a sturdy, bold foundation for your creations.

	Outside Diameter	Inside Diameter	Length Meters	Color	Part #
A	0.07 in (1.7 mm)	.040 in (1.00 mm)	16.4 ft (5 m)	Black	JRT1.7BLK-05M
B	0.10 in (2.5 mm)	.060 in (1.50 mm)	16.4 ft (5 m)	Black	JRT2.5BLK-05M
C	0.16 in (4.0 mm)	.080 in (2.00 mm)	16.4 ft (5 m)	Black	JRT4.0BLK-05M
D	0.24 in (6.0 mm)	.160 in (4.00 mm)	16.4 ft (5 m)	Black	JRT6.0BLK-05M
A	0.07 in (1.7 mm)	.040 in (1.00 mm)	82 ft (25 m)	Black	JRT1.7BLK-25M
В	0.10 in (2.5 mm)	.060 in (1.50 mm)	82 ft (25 m)	Black	JRT2.5BLK-25M
C	0.16 in (4.0 mm)	.080 in (2.00 mm)	82 ft (25 m)	Black	JRT4.0 BLK-25M
D	0.24 in (6.0 mm)	.160 in (4.00 mm)	82 ft (25 m)	Black	JRT6.0BLK-25M




Slide Rubber Tubing over Memory Wire to give your designs a smooth, round shape.

Indian Leather Cord


Indian Leather Cord is ideal for stringing large hole beads or beads too large for regular cord, including clay, wood, bone, and metal. Use Leather Cord for chokers, bracelets, and anklets where the rich texture is exposed in designs or simply showcase your favorite bead or pendant. For bold and stylish designs, braid or mix Leather with other beading materials. Finish your designs with Cord Ends (p. 65) which are easy to attach.

	Diameter	Length	Color	Part #
E	.040 in (1.00 mm)	16.4 ft (5 m)	Black	136U-011
F	.060 in (1.50 mm)	16.4 ft (5 m)	Black	136U-015
G	.080 in (2.00 mm)	16.4 ft (5 m)	Black	136U-021
н	.040 in (1.00 mm)	16.4 ft (5 m)	Brown	1365-011
I	.060 in (1.50 mm)	16.4 ft (5 m)	Brown	1365-015
J	.080 in (2.00 mm)	16.4 ft (5 m)	Brown	136S-021
K	.040 in (1.00 mm)	16.4 ft (5 m)	Natural	136X-011
L	.060 in (1.50 mm)	16.4 ft (5 m)	Natural	136X-015
Μ	.080 in (2.00 mm)	16.4 ft (5 m)	Natural	136X-021









Beadalon 1-866-423-2325

CORDS AND STRINGING

55

Waxed Cord

Waxed Cord is a braided Dacron® fiber with a miniature snake skin like texture. This cord is flexible and can be easily knotted.

	Diameter	Length	Color	Part #
A	.040 in (1.00 mm)	100 yd (91.4 m)	Black	138U-015
В	.060 in (1.50 mm)	100 yd (91.4 m)	Black	138U-019

Satin Cord

Satin Cord is made of shiny rayon, has a silky texture, and is great for jewelry, craft and any other applications requiring a strong yet flexible cord. Satin Cord can be secured using cord ends (p. 65) or with an adjustable knot. This cord is also known as "rat tail." Excellent for use with Kumihimo Braiding Disc (p. 134).

	Width	Length	Color	Part #
C	.120 in (3.0 mm)	54.7 yd (50 m)	Black	134U-032

Chain

Use a little or a lot of this Silver, Gold, Hematite Color, and Antique Brass Color Chain to add appeal and create drama in beaded designs. Short lengths of Chain lend a sparkling touch: add a hanging chain tassel from your beaded designs for a signature look. Use long lengths of Chain with the clasp of your choice to create bracelets and necklaces with beaded accents.

Style Cable, Small Cable, Small Bulk Cable, Small Cable, Small Cable, Small Cable, Small Cable, Small Cable, Small Cable, Dapped Small	Diameter .090 in (2.3 mm) .090 in (2.3 mm)	Color Silver Silver Gold Color Hematite Antique Brass	Length 6.5 ft (2 m) 19.6 ft (6 m) 6.5 ft (2 m) 6.5 ft (2 m) 6.5 ft (2 m)	Part # 340B-001 340B-1001 340A-001 340C-001 340R-001
Cable, Small Bulk Cable, Small Cable, Small Cable, Small	.090 in (2.3 mm) .090 in (2.3 mm) .090 in (2.3 mm) .090 in (2.3 mm)	Silver Gold Color Hematite Antique Brass	19.6 ft (6 m) 6.5 ft (2 m) 6.5 ft (2 m)	340B-1001 340A-001 340C-001
Cable, Small Cable, Small Cable, Small	.090 in (2.3 mm) .090 in (2.3 mm) .090 in (2.3 mm)	Gold Color Hematite Antique Brass	6.5 ft (2 m) 6.5 ft (2 m)	340A-001 340C-001
Cable, Small Cable, Small	.090 in (2.3 mm) .090 in (2.3 mm)	Hematite Antique Brass	6.5 ft (2 m)	340C-001
Cable, Small	.090 in (2.3 mm)	Antique Brass	. ,	
	. ,		6.5 ft (2 m)	340R-001
Cable, Dapped Small	090 in (2.3 mm)			
Cable, Dapped Small	090 in (2.3 mm)			
	.070 m (2.5 mm)	Silver	6.5 ft (2 m)	340B-004
Cable, Dapped Small Bulk	.090 in (2.3 mm)	Silver	16.4 ft (5 m)	340B-1004
Cable, Elongated	.130 in (3.4 mm)	Silver	6.5 ft (2 m)	340B-010
Cable, Elongated	.130 in (3.4 mm)	Hematite	6.5 ft (2 m)	340C-010
Curb, Medium	.160 in (4.1 mm)	Silver	6.5 ft (2 m)	340B-030
Curb, Medium	.160 in (4.1 mm)	Gold Color	6.5 ft (2 m)	340A-030
Curb, Medium	.160 in (4.1 mm)	Hematite	6.5 ft (2 m)	340C-030
				340B-040
	Cable, Elongated Curb, Medium Curb, Medium	Table, Elongated .130 in (3.4 mm) Curb, Medium .160 in (4.1 mm) Curb, Medium .160 in (4.1 mm)	Table, Elongated .130 in (3.4 mm) Hematite Eurb, Medium .160 in (4.1 mm) Silver Eurb, Medium .160 in (4.1 mm) Gold Color	Table, Elongated .130 in (3.4 mm) Hematite 6.5 ft (2 m) Curb, Medium .160 in (4.1 mm) Silver 6.5 ft (2 m) Curb, Medium .160 in (4.1 mm) Gold Color 6.5 ft (2 m)





D Rear and the second second

С

- H electronic and the construction of the second second second second second second second second second second

- K (SEEGEOBECE)SEEGEOBECESEE















BeadFix™ SuperFast Adhesive **EXCLUSIVEI**

This adhesive is ideal for adhering glass, stone, metal, plastic, wood, and most other types of beads. BeadFix is unaffected by cold and heat, and is water resistant. Quick setting, even on absorbent surfaces. When attaching End Caps to Memory Wire, allow 24 hours drying time for maximum strength. Precision applicators only available with 3 gram BeadFix.

	Size	Part #
A	10g Bottle	JA-BEADFIX
B	3g Bottle w/ 2 Applicators	215K-100
C	3g Gel	215A-050

D. BeadFix[™] - 2 Part Epoxy **EXCLUSIVEI**

BeadFix 2 Part Epoxy is a single use epoxy that eliminates the need for measuring. Simply empty both tubes completely onto a mixing surface (aluminum foil or heavy paper to be discarded after use) mix the two parts together fully and begin gluing. 2 Part Epoxy is the strongest bond for most gluing applications. Make certain that all parts to be glued are prepped and ready before mixing the epoxy. Pot life (amount of time before adhesive sets up and can no longer be used) is approximately 20 minutes.

Size Part # 2-Part Epoxy 6g 215A-100






Mix both parts together.

Apply to parts to be glued.

© Beadalon 2025



Great for use on Silk, Nylon, Elonga, and other stringing materials. Beadalon Designer Bead Stringing Glue has a fine-tip applicator perfect for getting the glue exactly where you need it. Great for assembling "illusion" designs with plastic, glass, metal, and ceramic beads. Dries clear, will not bond fingers, and will not damage the surface to which it is applied. No-clog cap keeps the applicator always ready for use. Available in 9 ml (0.3 fl oz) tubes. Made in USA. 💻





F. G-S Hypo[™] Cement

Neatly attach beads and pearls to Beadalon wires and cords with this easy to handle cement. The precision applicator allows neat placement of small quantities of glue inside beads. Available in 0.33 oz (9.4 g) tubes. Made in USA.





Epoxy is a single use epoxy that eliminates the need for measuring.

BeadFix 2 Part

Beadalon -S HYPO CEMENT Bead Stringing Glue Pegamento para Joyería Colle d'enfilage de perles Dries Clear, Stays Clear Insparente • Sèche et demei MABLE (2)





Ordering made even easier...

		Email a Friend Add to Favorite
	SKU JW11T-0	
	Downloads:	
-	Project: Ceramic Sunset Project: My Blue Heaven	
49	Project. My Blue Heaven	
HAD TOWNED WIL	Color	
0.18 in 30 ft	Bright (Stainless)	
0.46 mm 9.2 m	Diameter	
s 35928 - 101	.018 in (0.46 mm)	
CH		
	Quantity	
Q View Larger	30 ft (9.2 m) 🗸	
	会会会会会	
	IN STOCK	
	\$20.99	
- 👬 🕊 🚺	QTY: 1 🐂 Add	
ription		
9 Strand		10000000
highest quality wire, Beadalon 49 Stra	and some sister of	A REAL PROPERTY AND A REAL

Product Page

Home // Shop By Product // Wire // 49 Strand Bead Stringing Wire

Order Status Page

ORDER DATE 🗘	STATUS \$	PO NUMBER	TOTAL ≑	ACTIONS
5/9/2024	Open	5924	\$2,174.31	Re-Order
3/25/2024	Complete	32524	\$968.95	Re-Order
12/18/2023	Complete	121823	\$2,912.00	Re-Order
12/8/2023	Complete	12823	\$1,933.16	Re-Order
11/01/0000	Commisto	110100	Å1 100 00	De Order

Order Drill-down Page

ine Items			
DESCRIPTION	QTY	STATUS	UN
Crimp Tubes, Size #2, 1.3 mm (.051 in) i.D., 1.8 mm (.070 in) O.D., Silver Plated, 1.5 g (.05 oz), appx. 46 pc. Use Standard Crimp Tool with wire .33 mm61 mm (.013024 in)	6	6.00 shipped	
Dandyline, 0.15 mm (.006 in), Black, 25 m (82 ft)	12	6.00 shipped 6.00 back- ordered	\$
49 Strand Stainless Steel Bead Stringing Wire, .015 in (0.38 mm), Silver Plated, 10 ft (3.1 m)	3	3.00 shipped	
49 Strand Stainless Steel Bead Stringing Wire, .015 in (0.38 mm), Bright, 100 ft (31 m)	3	3.00 shipped	\$
49 Strand Stainless Steel Bead Stringing Wire, .018 in (0.46 mm), Bright, 100 ft (31 m)	3	3.00 shipped	\$
	Crimp Tubes, Size #2, 1.3 mm (.051 in) I.D., 1.8 mm (.070 in) O.D., Silver Plated, 1.5 g (.05 oz), appx. 46 pc. Use Standard Crimp Tool with wire .33 mm .61 mm (.013024 in) Dandyline, 0.15 mm (.006 in), Black, 25 m (82 ft) 49 Strand Stainless Steel Bead Stringing Wire, .015 in (0.38 mm), Silver Plated, 10 ft (3.1 m) 49 Strand Stainless Steel Bead Stringing Wire, .015 in (0.38 mm), Bright, 100 ft (31 m)	DESCRIPTION QTV Crimp Tubes, Size #2, 1.3 mm (.051 in) i.D., 1.8 mm (.070 in) O.D., Silver Plated, 1.5 g (.05 oz), appx. 46 pc. Use Standard 6 6 Dandyline, 0.15 mm (.006 in), Black, 25 m (82 ft) 12 49 Strand Stainless Steel Bead Stringing Wire, .015 in (0.38 mm), Silver Plated, 10 ft (3.1 m) 3 49 Strand Stainless Steel Bead Stringing Wire, .015 in (0.38 mm), Bright, 100 ft (31 m) 3	DESCRIPTION QTY STATUS Crimp Tubes, Size #2, 1.3 mm (.051 in) I.D., 1.8 mm (.070 in) O.D., Silver Plated, 1.5 g (.05 oz), appx. 46 pc. Use Standard 6 6.00 Crimp Tool with wire .33 mm61 mm (.013024 in) 6 6.00 shipped 6.00 back- DandyLine, 0.15 mm (.006 in), Black, 25 m (82 ft) 12 6.00 back- 6.00 back- 49 Strand Stainless Steel Bead Stringing Wire, .015 in (0.38 mm), Silver Plated, 10 ft (3.1 m) 3 3.00 9 Strand Stainless Steel Bead Stringing Wire, .015 in (0.38 mm), Bright, 100 ft (31 m) 3 3.00 49 Strand Stainless Steel Bead Stringing Wire, .015 in (0.46 mm), Bright, 100 ft (31 m) 3 3.00

The convenient website provides expanded content and an enhanced shopping experience, featuring:

- Multiple, high quality product images
- Extended product descriptions and selling features
- More browser friendly, easier to navigate
- Expanded content, including videos and instructional downloads

Plus, take more control over your purchasing and speed your reordering time with these features:

- View your order history, including shipped & back-ordered items
- Save carts for frequently reordered items
- Monitor the status of shipped and back ordered items
- View tracking information and see when to expect delivery

Place your next order on-line!

Ask your account manager for login details.

Email:	sales@beadalon.com
Toll Free:	1-866-4BEADALON (423-2325)

